

## DATA SOLUTIONS

Boards and Cards  
Data Acquisition  
Image Analysis  
Instrument Control  
Microscopes

Home > Data Solutions > Organized Chaos gets Robots Going, Autonomous Walking Robot Flexibly Switches Gaits

## Organized Chaos gets Robots Going, Autonomous Walking Robot Flexibly Switches Gaits



Following the principle of chaos control, the robot produces regular leg movements when walking normally. In addition, it can use the uncontrolled chaotic movement pattern to free itself when its leg is trapped in a hole. *Courtesy of Network Dynamics Group, Max Planck Institute for Dynamics and Self-Organization*

Even simple insects can generate quite different movement patterns with their six legs. The animal uses various gaits depending on whether it crawls uphill or downhill, slowly or fast. Scientists from Göttingen have now developed a walking robot, which — depending on the situation — can flexibly and autonomously switch between different gaits.

The success of their solution lies in its simplicity: a small and simple network with just a few connections can create very diverse movement patterns. To this end, the robot uses a mechanism for "chaos control." This interdisciplinary work was carried out by a team of scientists at the Bernstein Center for Computational Neuroscience Göttingen, the Physics Department of the Georg-August-University of Göttingen and the Max Planck Institute for Dynamics and Self-Organization.

In humans and animals, periodically recurring movements like walking or breathing are controlled by small neural circuits called "central pattern generators" (CPG). Scientists have been using this principle in the development of walking machines. To date, typically one separate CPG was needed for every gait. The robot receives information about its environment

via several sensors — about whether there is an obstacle in front of it or whether it climbs a slope. Based on this information, it selects the CPG controlling the gait that is appropriate for the respective situation.

### One single pattern generator for many gaits

The robot developed by the Göttingen scientists now manages the same task with only one CPG that generates entirely different gaits and that can switch between these gaits in a flexible manner. This CPG is a tiny network consisting of two circuit elements. The secret of its functioning lies in the so-called "chaos control." If uncontrolled, the CPG produces a chaotic activity pattern. This activity, however, can very easily be controlled by the sensor inputs into periodic patterns that determine the gait. Depending on the sensory input signal, different patterns — and thus different gaits — are generated.

The connection between sensory properties and CPG can either be preprogrammed or learned by the robot from experience. The scientists use a key example to show how this works: the robot can autonomously learn to walk up a slope with as little energy input as possible. As soon as the robot reaches a slope, a sensor shows that the energy consumption is too high. Thereupon, the connection between the sensor and the control input of the CPG is varied until a gait is found that allows the robot to consume less energy. Once the right connections have been established, the robot has learned the relation between slope and gait. When it tries to climb the hill a second time, it will immediately adopt the appropriate gait.

In the future, the robot also will be equipped with a memory device which will enable it to complete movements even after the sensory input ceases to exist. In order to walk over an obstacle, for instance, the robot would have to take a large step with each of its six legs. "Currently, the robot would not be able to handle this task — as soon as the obstacle is out of sight, it no longer knows which gait to use," says Marc Timme, scientist at the Max Planck Institute for Dynamics and Self-Organization. "Once the robot is equipped with a motor memory, it will be capable to use foresight and plan its movements."

**Complete citation:** Silke Steingrube, Marc Timme, Florentin Wörgötter and Poramate Manoonpong, "Self-organized adaptation of a simple neural circuit enables complex robot behaviour," *Nature Physics*, January 17th, 2010 (DOI: 10.1038/NPHYS1508)



Email for more information.

Scientific Computing  
Rockaway NJ 07866



Email Article |



Contact the Editor |



Printer Friendly



Post to Del.icio.us |



Digg This |



Post to Slashdot

### Most Viewed Content

- **Egypt: New Find Shows Slaves Didn't Build Pyramids**
- **Y Chromosome Evolving Rapidly**
- **Fault Responsible for Haiti Quake Slices Island's Topography**
- **New Spider Species Discovered**
- **Resumed Mars Orbiter Observations Yield Awesome Views**
- **Likely bin Laden Hideout Identified**
- **Global Ice Age Climate Patterns Influenced by Bering Strait**
- **Tying Light into Knots**
- **IN Cell Image Winners Announced: Stunning high-definition images of cells' inner workings**
- **How Brain Cells Deal with Mathematical Rules**

SCIENTIFIC COMPUTING  
Webcast Series

Extreme Data  
Storage:  
Next-gen Sequencing  
Solutions



VIEW ON-DEMAND TODAY

### Sponsored Links

[Download free Embedded Innovator e-zine](#)

54 pages full of embedded designs, ideas, and solutions. Get your copy today.

[IT Training Programs](#)

Get The It Skills That Gets Jobs! Further Your Career Today

[Buy a Link Now](#)

### Ads by Google

Quantum

Announcing  
**StorNext 4.0**

Accelerate  
Your Business.  
Preserve  
Your Data.

See How ▶

Quantum

## SITE SPONSORS

